Author Index Vol. 767

Afanas'eva, G.V., see Trubetskoj, O.A. 767(1997)285
Aguilar, M., Farran, A. and Martí, V.
Determination of metal cyanide complexes in gold processing solutions by capillary electrophoresis 767(1997)319
Ahumada, M.C., see García, M.D. 767(1997)340
Aigotti, R., see Gennaro, M.C. 767(1997)87
Andersson, P., see Macka, M. 767(1997)303
Angelino, S., see Gennaro, M.C. 767(1997)87
Apraiz, D., see Valor, I. 767(1997)195
Ataai, M.M., see Patwardhan, A.V. 767(1997)11
Bächmann, K., see Mainka, A. 767(1997)241
Bane, S., see Whynot, D.M. 767(1997)231
Barták, P. and Čáp, L.
Determination of phenols by solid-phase microextraction 767(1997)171
Belder, D., see Unger, M. 767(1997)263
Bertoni, G. and Tappa, R.
Improvement in breakthrough volume evaluation methods for light adsorbent traps employed for volatile organic compounds determination at atmospheric concentration levels 767(1997)153
Bissell, M.G., Okorodudu, A.O., Petersen, J.R. and Mohammad, A.A.
Laser induced resonance energy transfer – a novel approach towards achieving high sensitivity in capillary electrophoresis. Part B: Applications for environmental testing 767(1997)217
Bleton, J., see Mejanelle, P. 767(1997)177
Brinkman, U.A.Th., see de Geus, H.-J. 767(1997)137
Čáp, L., see Barták, P. 767(1997)171
Carr, P.W., see Park, J.H. 767(1997)1
Castello, G., see Vezzani, S. 767(1997)115
Castro, B., see Pugniere, M. 767(1997)69
Cert, A., see García, M.D. 767(1997)340
Chen, C.-K., see Sun, S.-W. 767(1997)277
Chen, D.D.Y., see Peng, X. 767(1997)205
Chen, L.-Y., see Sun, S.-W. 767(1997)277
Conti, M., see Righetti, P.G. 767(1997)255
D'Agostino, P.A., Hancock, J.R. and Provost, L.R.
Analysis of bioactive peptides by liquid chromatography–high-resolution electrospray mass spectrometry 767(1997)77
De Boer, J., see de Geus, H.-J. 767(1997)137
De Geus, H.-J., de Boer, J. and Brinkman, U.A.Th.
Development of a thermal desorption modulator for gas chromatography 767(1997)137
Ericson, C., Liao, J.-L., Nakazato, K. and Hjertén, S.
Preparation of continuous beds for electrochromatography and reversed-phase liquid chromatography of low-molecular-mass compounds 767(1997)33
Evans, J.F., see Park, J.H. 767(1997)1
Farran, A., see Aguilar, M. 767(1997)319
Font, G., see Valor, I. 767(1997)195
Frederiksen, R.B., see Tangen, A. 767(1997)311
Fukuda, E.K., see Zrybko, C.L. 767(1997)43
Gäb, S., see Schmitz, O. 767(1997)249
García, M.D., Sáenz, M.T., Ahumada, M.C. and Cert, A.
Isolation of three triterpenes and several aliphatic alcohols from *Crataegus monogyna* Jacq 767(1997)340
García-Domínguez, J.A., see Quintanilla-López, J.E. 767(1997)127
Gelfi, C., see Righetti, P.G. 767(1997)255
Gennaro, M.C., Gioannini, E., Angelino, S., Aigotti, R. and Giacosa, D.
Identification and determination of red dyes in confectionery by ion-interaction high-performance liquid chromatography 767(1997)87
Giacosa, D., see Gennaro, M.C. 767(1997)87
Gioannini, E., see Gennaro, M.C. 767(1997)87
Gladovič, N., Zupančič-Kralj, L. and Plavec, J.
Determination of primary oxidation products of linoleic acid and triacylglycerols 767(1997)63
Gmeiner, G., Stehlik, G. and Tausch, H.
The determination of seventeen polycyclic aromatic hydrocarbons in tobacco smoke condensate 767(1997)163
Goursaud, S., see Mejanelle, P. 767(1997)177
Gutsche, B. and Herderich, M.
High-performance liquid chromatography–electrospray ionisation–tandem mass spectrometry for the analysis of 1,2,3,4-tetrahydro-β-carboline derivatives 767(1997)101
Haddad, P.R., see Macka, M. 767(1997)303
Hagen, S.R., Thompson, J.D., Snyder, D.S. and Myers, K.R.
Analysis of a monophosphoryl lipid A immunostimulant preparation from *Salmonella minnesota* R595 by high-performance liquid chromatography 767(1997)53
Hancock, J.R., see D'Agostino, P.A. 767(1997)77
Hartwick, R.A., see Whynot, D.M. 767(1997)231
Hayashi, Y., see Nishikawa, T. 767(1997)93
Herderich, M., see Gutsche, B. 767(1997)101
Hjertén, S., see Ericson, C. 767(1997)33
Jansson, P.-E., see Lindqvist, L. 767(1997)325
Kataoka, H. and Kijima, K.
Analysis of heterocyclic amines as their N-dimethylaminomethylene derivatives by gas chromatography with nitrogen–phosphorus selective detection 767(1997)187
Kijima, K., see Kataoka, H. 767(1997)187
Klaffenbach, P. and Kronenfeld, D.
Analysis of impurities of isopropyl myristate by gas–liquid chromatography 767(1997)330
Kronenfeld, D., see Klaffenbach, P. 767(1997)330
Kubo, H., see Nishikawa, T. 767(1997)93
Lebrón-Aguilar, R., see Quintanilla-López, J.E. 767(1997)127
Lee, S.-S., see Sun, S.-W. 767(1997)277
Lee, Y.K., see Park, J.H. 767(1997)1
Li, J., see Park, J.H. 767(1997)1
Li, L., see Park, J.H. 767(1997)1
Liao, J.-L., see Ericson, C. 767(1997)33
Lindqvist, L. and Jansson, P.-E.
Separation of acyclic derivatives of sugar enantiomers using gas chromatography on chiral stationary phases of permethylated α-, β- and γ-cyclodextrin 767(1997)325

Lund, W., see Tangen, A. 767(1997)311
Määttänen, A., see Sirén, H. 767(1997)293
Macka, M., Paull, B., Andersson, P. and Haddad, P.R.
Determination of barium and strontium by capillary zone electrophoresis using an electrolyte containing sulfonazo III 767(1997)303
Mainka, A. and Bächmann, K.
UV detection of derivatized carbonyl compounds in rain samples in capillary electrophoresis using sample stacking and a Z-shaped flow cell 767(1997)241
Martí, V., see Aguilar, M. 767(1997)319
Mattras, H., see Pugniere, M. 767(1997)69
Mejanelle, P., Bleton, J., Goursaud, S. and Tchapla, A.
Identification of phenolic acids and inositols in balms and tissues from an Egyptian mummy 767(1997)177
Meyer, V.R.
Influence of leaks in the liquid chromatographic instrument on analytical results 767(1997)25
Mohammad, A.A., see Bissell, M.G. 767(1997)217
Moltó, J.C., see Valor, I. 767(1997)195
Moretti, P., see Vezzani, S. 767(1997)115
Myers, K.R., see Hagen, S.R. 767(1997)53
Naglič, M. and Šmidovnik, A.
Use of capillary gas chromatography for determining the hydrogenation level of edible oils 767(1997)335
Nakazato, K., see Ericson, C. 767(1997)33
Nishikawa, T., Hayashi, Y., Suzuki, S., Kubo, H. and Ohtani, H.
On-column enantiomerization of 3-hydroxybenzodiazepines during chiral liquid chromatography with optical rotation detection 767(1997)93
Ohtani, H., see Nishikawa, T. 767(1997)93
Okorodudu, A.O., see Bissell, M.G. 767(1997)217
Park, J.H., Lee, Y.K., Weon, Y.C., Tan, L.C., Li, J., Li, L., Evans, J.F. and Carr, P.W.
Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography. IV. Partitioning vs. adsorption mechanism on various types of polymeric bonded phases 767(1997)1
Patwardhan, A.V. and Ataai, M.M.
Site accessibility and the pH dependence of the saturation capacity of a highly cross-linked matrix. Immobilized metal affinity chromatography of bovine serum albumin on Chelating Superose 767(1997)11
Paull, B., see Macka, M. 767(1997)303
Peng, X. and Chen, D.D.Y.
Variance contributed by pressure induced injection in capillary electrophoresis 767(1997)205
Petersen, J.R., see Bissell, M.G. 767(1997)217
Plavec, J., see Gladovič, N. 767(1997)63
Previero, A., see Pugniere, M. 767(1997)69
Provost, L.R., see D'Agostino, P.A. 767(1997)77
Pugniere, M., Mattras, H., Castro, B. and Previero, A.
Adsorption liquid chromatography on silica for the chiral separation of amino acids and asymmetric amines derivatized with optically active N-α-9-Fmoc-amino acid-N-carboxyanhydrides 767(1997)69
Quintanilla-López, J.E., Lebrón-Aguilar, R. and García-Domínguez, J.A.
The hold-up time in gas chromatography. II. Validation of the estimation based on the concept of a zero carbon atoms alkane 767(1997)127
Reznikova, O.I., see Trubetskoj, O.A. 767(1997)285
Riekkola, M.-L., see Sirén, H. 767(1997)293
Righetti, P.G., Conti, M. and Gelfi, C.
Study of haptoglobin–hemoglobin complexes by titration curves, capillary electrophoresis and capillary isoelectric focusing 767(1997)255
Rosen, R.T., see Zrybko, C.L. 767(1997)43
Ross, G.A., see Soga, T. 767(1997)223
Sáenz, M.T., see García, M.D. 767(1997)340
Saiz-Jimenez, C., see Trubetskoj, O.A. 767(1997)285
Schmidt, U., see Svoboda, L. 767(1997)107
Schmitz, O. and Gäb, S.
Separation of isomeric hydroperoxides of unsaturated fatty acids by capillary electrophoresis 767(1997)249
Sirén, H., Määttänen, A. and Riekkola, M.-L.
Determination of small anions by capillary electrophoresis using indirect UV detection with sulphonated nitrosonaphthol dyes 767(1997)293
Šmidovnik, A., see Naglič, M. 767(1997)335
Snyder, D.S., see Hagen, S.R. 767(1997)53
Soga, T. and Ross, G.A.
Capillary electrophoretic determination of inorganic and organic anions using 2,6-pyridinedicarboxylic acid: effect of electrolyte's complexing ability 767(1997)223
Stehlik, G., see Gmeiner, G. 767(1997)163
Stöckigt, D., see Unger, M. 767(1997)263
Stöckigt, J., see Unger, M. 767(1997)263
Sun, S.-W., Lee, S.-S., Chen, L.-Y. and Chen, C.-K.
Separation of aporphine alkaloids by micellar electrokinetic chromatography 767(1997)277
Suzuki, S., see Nishikawa, T. 767(1997)93
Svoboda, L. and Schmidt, U.
Single-column ion chromatography of linear polyphosphates 767(1997)107
Tan, L.C., see Park, J.H. 767(1997)1
Tangen, A., Lund, W. and Frederiksen, R.B.
Determination of Na^+, K^+, Mg^{2+} and Ca^{2+} in mixtures of seawater and formation water by capillary electrophoresis 767(1997)311
Tappa, R., see Bertoni, G. 767(1997)153
Tausch, H., see Gmeiner, G. 767(1997)163
Tchapla, A., see Mejanelle, P. 767(1997)177
Thompson, J.D., see Hagen, S.R. 767(1997)53
Trubetskaya, O.E., see Trubetskoj, O.A. 767(1997)285
Trubetskoj, O.A., Trubetskaya, O.E., Afanas'eva, G.V., Reznikova, O.I. and Saiz-Jimenez, C.
Polyacrylamide gel electrophoresis of soil humic acid fractionated by size-exclusion chromatography and ultrafiltration 767(1997)285
Unger, M., Stöckigt, D., Belder, D. and Stöckigt, J.
General approach for the analysis of various alkaloid classes using capillary electrophoresis and capillary electrophoresis–mass spectrometry 767(1997)263
Valor, I., Moltó, J.C., Apraiz, D. and Font, G.
Matrix effects on solid-phase microextraction of organophosphorus pesticides from water 767(1997)195
Vezzani, S., Moretti, P. and Castello, G.
Automatic prediction of retention times in multi-linear programmed temperature analyses 767(1997)115
Weon, Y.C., see Park, J.H. 767(1997)1
Whynot, D.M., Hartwick, R.A. and Bane, S.

Capillary isoelectric focusing with anionic coated capillaries 767(1997)231
Zrybko, C.L., Fukuda, E.K. and Rosen, R.T.
Determination of glucosinolates in domestic and wild mustard by high-performance liquid chromatography with confirmation by electrospray mass spectrometry and photodiode-array detection 767(1997)43
Zupančič-Kralj, L., see Gladovič, N. 767(1997)63